

PERIODIC TABLE OF ELEMENTS

1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18

1 H Hydrogen 1.008	Atomic # Symbol Name Weight																2 He Helium 4.0026
3 Li Lithium 6.94	4 Be Beryllium 9.0122	Metals Alkali metals Alkaline earth metals Lanthanoids (Lanthanides) Actinoids (Actinides) Transition metals Post-transition metals Metalloids Other nonmetals Noble gases										5 B Boron 10.81	6 C Carbon 12.011	7 N Nitrogen 14.007	8 O Oxygen 15.999	9 F Fluorine 18.998	10 Ne Neon 20.180
11 Na Sodium 22.990	12 Mg Magnesium 24.305											13 Al Aluminium 26.982	14 Si Silicon 28.085	15 P Phosphorus 30.974	16 S Sulfur 32.06	17 Cl Chlorine 35.45	18 Ar Argon 39.948
19 K Potassium 39.098	20 Ca Calcium 40.078	21 Sc Scandium 44.956	22 Ti Titanium 47.867	23 V Vanadium 50.942	24 Cr Chromium 51.996	25 Mn Manganese 54.938	26 Fe Iron 55.845	27 Co Cobalt 58.933	28 Ni Nickel 58.693	29 Cu Copper 63.546	30 Zn Zinc 65.38	31 Ga Gallium 69.723	32 Ge Germanium 72.630	33 As Arsenic 74.922	34 Se Selenium 78.971	35 Br Bromine 79.904	36 Kr Krypton 83.798
37 Rb Rubidium 85.468	38 Sr Strontium 87.62	39 Y Yttrium 88.906	40 Zr Zirconium 91.224	41 Nb Niobium 92.906	42 Mo Molybdenum 95.95	43 Tc Technetium (98)	44 Ru Ruthenium 101.07	45 Rh Rhodium 102.91	46 Pd Palladium 106.42	47 Ag Silver 107.87	48 Cd Cadmium 112.41	49 In Indium 114.82	50 Sn Tin 118.71	51 Sb Antimony 121.76	52 Te Tellurium 127.60	53 I Iodine 126.90	54 Xe Xenon 131.29
55 Cs Caesium 132.91	56 Ba Barium 137.33	57-71	72 Hf Hafnium 178.49	73 Ta Tantalum 180.95	74 W Tungsten 183.84	75 Re Rhenium 186.21	76 Os Osmium 190.23	77 Ir Iridium 192.22	78 Pt Platinum 195.08	79 Au Gold 196.97	80 Hg Mercury 200.59	81 Tl Thallium 204.38	82 Pb Lead 207.2	83 Bi Bismuth 208.98	84 Po Polonium (209)	85 At Astatine (210)	86 Rn Radon (222)
87 Fr Francium (223)	88 Ra Radium (226)	89-103	104 Rf Rutherfordium (267)	105 Db Dubnium (268)	106 Sg Seaborgium (269)	107 Bh Bohrium (270)	108 Hs Hassium (277)	109 Mt Meitnerium (278)	110 Ds Darmstadtium (281)	111 Rg Roentgenium (282)	112 Cn Copernicium (285)	113 Nh Nihonium (286)	114 Fl Flerovium (289)	115 Mc Moscovium (290)	116 Lv Livermorium (293)	117 Ts Tennessine (294)	118 Og Oganesson (294)

For elements with no stable isotopes, the mass number of the isotope with the longest half-life is in parentheses.



6	57 La Lanthanum 138.91	58 Ce Cerium 140.12	59 Pr Praseodymium 140.91	60 Nd Neodymium 144.24	61 Pm Promethium (145)	62 Sm Samarium 150.36	63 Eu Europium 151.96	64 Gd Gadolinium 157.25	65 Tb Terbium 158.93	66 Dy Dysprosium 162.50	67 Ho Holmium 164.93	68 Er Erbium 167.26	69 Tm Thulium 168.93	70 Yb Ytterbium 173.05	71 Lu Lutetium 174.97
7	89 Ac Actinium (227)	90 Th Thorium 232.04	91 Pa Protactinium 231.04	92 U Uranium 238.03	93 Np Neptunium (237)	94 Pu Plutonium (244)	95 Am Americium (243)	96 Cm Curium (247)	97 Bk Berkelium (247)	98 Cf Californium (251)	99 Es Einsteinium (252)	100 Fm Fermium (257)	101 Md Mendelevium (258)	102 No Nobelium (259)	103 Lr Lawrencium (266)

The Periodic Table, **Electron Configuration** & Chemical Bonding

Lecture 7

Electrons

We will start to look at the periodic table by focusing on the information it gives about each element's electrons.

How electrons are configured about the nucleus is reflected in the structure of the periodic table.

The electron clouds of atoms are what interfaces when atoms meet, and dictate how they interact.

The periodic table

A Simple version with just a symbol and the atomic number of all the elements that make up matter.

H 1																	He 2
Li 3	Be 4	The rows are called periods and the columns are called groups .										B 5	C 6	N 7	O 8	F 9	Ne 10
Na 11	Mg 12											Al 13	Si 14	P 15	S 16	Cl 17	Ar 18
K 19	Ca 20	Sc 21	Ti 22	V 23	Cr 24	Mn 25	Fe 26	Co 27	Ni 28	Cu 29	Zn 30	Ga 31	Ge 32	As 33	Se 34	Br 35	Kr 36
Rb 37	Sr 38	Y 39	Zr 40	Nb 41	Mo 42	Tc 43	Ru 44	Rh 45	Pd 46	Ag 47	Cd 48	In 49	Sn 50	Sb 51	Te 52	I 53	Xe 54
Cs 55	Ba 56	La 57	Hf 72	Ta 73	W 74	Re 75	Os 76	Ir 77	Pt 78	Au 79	Hg 80	Tl 81	Pb 82	Bi 83	Po 84	At 85	Rn 86
Fr 87	Ra 88	Ac 89	Unq 104	Unp 105	Unh 106	Uns 107	Uno 108	Une 109	Uun 110	Uuu 111	Uub 112	Uut 113	Uuq 114	Uup 115	Uuh 116	Uus 117	Uuo 118

Lanthanide series



Ce 58	Pr 59	Nd 60	Pm 61	Sm 62	Eu 63	Gd 64	Tb 65	Dy 66	Ho 67	Er 68	Tm 69	Yb 70	Lu 71
----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------

Actinide series



Th 90	Pa 91	U 92	Np 93	Pu 94	Am 95	Cm 96	Bk 97	Cf 98	Es 99	Fm 100	Md 101	No 102	Lr 103
----------	----------	---------	----------	----------	----------	----------	----------	----------	----------	-----------	-----------	-----------	-----------

Periods and Groups

This table is set up in order of increasing atomic number.

It also has rows called **periods** and columns called **groups**. This structure gives the ground state **electron configuration** for any atom.

There are 4 quantum numbers associated with any electron that describe its existence in space, we will concern ourselves with two, one of energy level and that of its orbital.

principal energy level

There are 7 periods they are numbered 1-7 and represent the occupied principal energy level.

This is also called the principal quantum number and describes the distance of an electron from the nucleus.

As levels increase there are sublevels, or orbitals found within them. (s,p,d,f)

Rules

- Electrons should occupy the lowest energy states possible. (closest to the nucleus)
 - usually : $s < p < d < f$
- Energy states are denoted by principal energy level & sublevels determined by electron #.
- Sublevels and levels have a maximum number of electrons possible.
- When a sublevel fills the next level includes the previous.
- *Each element repeats the configuration of the previous and adds one electron.*


Higher levels

- We will leave the explanation of the filling of the other sublevels to more advanced courses.
- However, you may have noticed with potassium and calcium:
 - the d sublevel of principal energy level 3 does not start to fill until after the s sublevel of the next principal energy level fills (4s).

The Diagonal Rule for Configurations

Begin at the left and follow each arrow from tail to head and then from left to right.

There is an order to the filling of sublevels within a principal energy level. The filling of the levels is irregular.



Applying the Diagonal Rule

- Simply count electrons until the sublevel is filled, and then move to the next sublevel in the order given by the diagonal.
- Each new atom always repeats the pattern of the one before it.

Principal Energy Level	Sublevel(s)	Max. # of electrons
1	<i>s</i>	2 level 1: up to 2
2	<i>s</i> <i>p</i>	2 level 2: up to 8 6
3	<i>s</i> <i>p</i> <i>d</i>	2 level 3: up to 18 6 10
4	<i>s</i> <i>p</i> <i>d</i> <i>f</i>	2 level 4: up to 32 6 10 14
<i>n</i>	<i>n</i> types of sublevels (<i>s,p,d,f</i> and others)	Level <i>n</i> up to $2n^2$ electrons

What do these mean?

- $5f^8$
 - principal energy level? 5
 - sublevel ? f
 - Electrons in that sublevel? 8
- $3d^6$
 - principal energy level? 3
 - sublevel ? d
 - Electrons in that sublevel? 6

Notation

- Suppose the p sublevel on the principal energy level 3 contains 2 electrons.

We write this so: $3p^2$

How many electrons total does this atom have?

$1s^2 2s^2 p^6 3s^2 p^2 = 14$ electrons total

Element	Atomic number	Electron configuration
H	1	$1s^1$
He	2 level 1 complete	$1s^2$
Li	3	$1s^2 2s^1$
Be	4	$1s^2 2s^2$
B	5	$1s^2 2s^2 2p^1$
C	6	$1s^2 2s^2 2p^2$
N	7	$1s^2 2s^2 2p^3$
O	8	$1s^2 2s^2 2p^4$
F	9	$1s^2 2s^2 2p^5$
Ne	10 level 2 complete	$1s^2 2s^2 2p^6$

Noble Gases

- These items have 2 or 8 electrons in their outer principal energy levels.
- They are also found in the last column of the periodic table.
- The element following a noble gas is at the next higher energy level.
- To save space, the atom of that noble gas is written in brackets followed by the remaining configuration.

Orbitals

- These are parts of sublevels.
- They have 0, 1, or 2 electrons.
 - 0 is empty
 - 1 is half full.
 - 2 is filled.

sublevels

- s has 1 orbital.
- p has 3 orbitals. (it can hold up to 6 electrons)
- d has 5 orbitals.
- Orbitals are noted by dashes

—

s

— — —

p

— — — — —

d

Filling the orbitals

- Magnetic properties are visible and the electrons have different spin within an orbital.

_____ empty orbital

↑ 1 electron (+1/2 spin)

↑↓ 2 electrons (+1/2 spin, -1/2 spin)

Orbitals fill in such a way that they go to the furthest point away within a sublevel, it half fills orbitals.

Element	sublevel	By orbital
H	$1s^1$	\uparrow
He	$1s^2$	$\uparrow\downarrow$
Li	$1s^2 2s^1$	$\uparrow\downarrow$ \uparrow
Be	$1s^2 2s^2$	$\uparrow\downarrow$ $\uparrow\downarrow$
B	$1s^2 2s^2 2p^1$	$\uparrow\downarrow$ $\uparrow\downarrow$ \uparrow $\underline{\hspace{0.5em}}$ $\underline{\hspace{0.5em}}$
		1s 2s 2p 2p 2p
C	$1s^2 2s^2 2p^2$	$\uparrow\downarrow$ $\uparrow\downarrow$ \uparrow \uparrow $\underline{\hspace{0.5em}}$
N	$1s^2 2s^2 2p^3$	$\uparrow\downarrow$ $\uparrow\downarrow$ \uparrow \uparrow \uparrow
O	$1s^2 2s^2 2p^4$	$\uparrow\downarrow$ $\uparrow\downarrow$ $\uparrow\downarrow$ \uparrow \uparrow
F	$1s^2 2s^2 2p^5$	$\uparrow\downarrow$ $\uparrow\downarrow$ $\uparrow\downarrow$ $\uparrow\downarrow$ \uparrow
Ne	$1s^2 2s^2 2p^6$	$\uparrow\downarrow$ $\uparrow\downarrow$ $\uparrow\downarrow$ $\uparrow\downarrow$ $\uparrow\downarrow$

Valence electrons

- These are the outermost principal energy level electrons.
- The outermost principal energy level is the **valence level**.
- Valence electrons are only found in s & p sublevels.
 - They will vary between 1 and 8 electrons only.

Atomic Structure Determines:

- How molecules form & stay together
 - which atoms bond and in what quantity
- How molecules interact with other molecules and atoms

Types of Chemical Bonds

Covalent: electrons are shared between neighboring atoms, they orbit both nuclei holding the molecule together

Ionic: electrons move to electronegative atoms, creating charged atoms, oppositely charged atoms are held together by electrostatic force (+-)

(after the electron leaves an atom, the atom is positively charged, where the electron goes becomes negatively charged)

Metallic: such atoms have the ability to lose electrons creating a strong positive nucleus and the outer electrons move freely around all of the metallic atoms (making them good conductors)

Van der Waals: polar molecules interacting
(Polar molecules have partial charge)

– Like a Hydrogen bond between water molecules

For an example: Look at Water

- Chemical formula for water is H₂O
- Every water molecule has 2 hydrogen atoms and one oxygen atom
- How ?
- You must look at individual atomic structure to understand how the bonds formed

Bohr Model of the atom helps to visualize bonding

(A good starting point: not perfect though.)

- It is the electrons that interface between atoms, but proton charge is half of electrostatic force which holds molecules together
- Atomic # tells you proton # and electron #
- It is the amount of electrons in the outermost region that is of interest: **valence electrons** (usually equal to group or vertical column # of the periodic table)

The Atomic Number & Mass

- To know :
 - the # of **electrons** in an atom look at the atomic number, it is the same.
 - the # of **protons** in an atom look at the atomic number, it is the same.
 - (electron # and proton # are equal in the balanced stable state of an atom)
 - the # of **neutrons** in an atom subtract the atomic number from the mass
 - Total mass – proton mass = neutron mass
(Protons weigh just over 1 amu, neutrons just a bit more)

A **Neutron** weighs 1.009amu

A **Proton** weighs 1.007 amu

To calculate neutrons just round off and use 1.0 amu per proton & subtract it from the atomic mass.

Then round off the answer to equal the neutrons.

For example: Hydrogen (H)

- has an atomic number of 1
 - So it has 1 proton
 - And it has 1 electron
- has an atomic mass of 1.00794amu
(neutrons & protons make up the mass)
- Its proton mass is (mass of protons) x (# of them)

Atomic number

$$1.007\text{amu} \times 1\text{proton} = \sim 1\text{amu} = \text{mass from protons}$$

Subtract it from the total mass of the atoms, to get the remaining mass from neutrons

$$1.00794 - 1.007 = 0.00094 \text{ Neutrons} = 0 \text{ N}$$

How about an isotope of Hydrogen?

the nuclide of deuterium : ${}^2_1\text{H}$

- has an atomic number of 1, just like all hydrogen
 - So it has 1 proton
 - And it has 1 electron
- **But it has a different atomic mass** of ~2.0 amu
(neutrons & protons make up the mass)
- Its proton mass is (mass of protons) x (# of them)
Atomic number

$$1.007\text{amu} \times 1\text{proton} = \sim 1\text{amu} = \text{mass from protons}$$

Subtract it from the total mass of the atoms, to get the remaining mass from neutrons

$$\sim 2.0\text{ amu} - 1.007 = 0.993\text{ Neutron} = \sim 1\text{ N}$$

Try another: Sodium (Na)

- Atomic number is 11
- Atomic mass is 22.989768 amu

- Electron # ?
- Proton # ?
- Neutron #?

Sodium (Na)

- Atomic number is 11
- Atomic mass is 22.989768 amu

- Electron # 11
- Proton # 11
- Neutron # $22.989768 - 11 = 11.98$
~12 neutrons on average

Writing & Naming Chemicals

- Chemical formulas represent chemical entities (a single atom or molecules)
- The symbol and numbers are used to write them
- **Diatomic** molecules are made of 2 atoms:
 - H_2 , O_2 , N_2 , F_2 , Br_2 , I_2 , Cl_2 ... (but not always the same type of element)
- **Polyatomic** molecules are made of 3 or more atoms: O_3 , H_2O , CH_4 ...

Binary Compounds

- These are molecules with 2 elements
– (but can have more than two atoms)

A few examples of ionic bonds:

You always start with the positive oxidation number bearing atoms



You write this so $\text{Al}^{3+} + 3\text{Cl}^- = \text{AlCl}_3$