$\underline{A}_{\text{dolescent}}\,S_{\text{leep}}\,H_{\text{ygiene}}\,S_{\text{cale}}$ 

Directions: Using the choices below, circle how often the following things have happened <u>during the past month</u>.

Never – has not happened

Once in Awhile – happened 20% of the time

Sometimes – happened 40% of the time

Quite Often – happened 60% of the time

Frequently, if not always – happened 80% of the time

Always – happened 100% of the time

	Always (100							
Frequently, if not Always (80%)								
	Quite Often (60%)							
		Sometimes (40%)						
		Once in Awhile (20%)						
	Never	r <b>(0%)</b> 1						
Du	ring the day							
1.	I take a nap that lasts <i>more than</i> 1 hour.	Ν	0	S	Q	F	А	
2.	I play or exercise for <i>more than</i> 20 minutes.	Ν	0	S	Q	F	А	
After 6:00 in the evening								
3.	I have drinks with caffeine (for example: cola, root beer, iced tea, coffee).	N	0	S	Q	F	A	
4.	I take a nap.	Ν	0	S	Q	F	А	
5.	I do some kind of physical activity (for example: exercise, play sports).	Ν	0	S	Q	F	А	
6.	I smoke or chew tobacco.	Ν	0	S	Q	F	А	
7.	I drink beer (or some other drinks with alcohol).	Ν	0	S	Q	F	А	
During the 1 hour before bedtime								
8.	I do things that make me feel <i>calm or relaxed</i> (for example: taking a hot bath/shower, listening to soft music, reading).	N	0	S	Q	F	А	
9.	things happen that make me feel <i>strong emotions</i> (sadness, anger, excitement).	N	0	S	Q	F	A	
10.	I am <i>very active</i> (for example: playing outside, running, wrestling).	Ν	0	S	Q	F	А	
11.	I do things that make me feel <b>very awake</b> (for example: playing video games, watching TV, talking on the telephone).	N	0	S	Q	F	А	
12.	I drink <i>more than</i> 4 glasses of water (or some other liquid).	Ν	0	S	Q	F	А	

Always (100								
Frequently, if not Always (80%)								
	Quite Often (60%)							
	Sometimes							
Once in A	(20%) 							
	er (0%)							
I go to bed								
13and do things in my bed that keep me awake (for example: watching TV, reading).	N	0	S	Q	F	A		
14and think about things I <b>need</b> to do.	Ν	0	S	Q	F	А		
15feeling upset.	Ν	0	S	Q	F	А		
16and replay the day's events over and over in my mind.	Ν	0	S	Q	F	А		
17and worry about things happening at home or at school.	Ν	0	S	Q	F	А		
18with a stomachache.	Ν	0	S	Q	F	А		
19feeling hungry.	Ν	0	S	Q	F	А		
I fall asleep								
20while listening to loud music.	Ν	0	S	Q	F	А		
21while watching TV.	Ν	0	S	Q	F	А		
22in a <b>brightly</b> lit room (for example: the overhead light is on).	Ν	0	S	Q	F	А		
23in <i>one place</i> and then move to <i>another place</i> during the night.	Ν	0	S	Q	F	А		
24in a room that feels <b>too hot</b> or <b>too cold</b> .	N	0	S	Q	F	А		
I sleep								
25in a home where someone smokes cigarettes, cigars, or a pipe.	N	0	S	Q	F	А		
I								
26get <i>too little</i> sleep.	Ν	0	S	Q	F	А		
27use a bedtime routine (for example: bathing, brushing teeth, reading).	Ν	0	S	Q	F	А		
<ol> <li>use my bed for things other than sleep (for example: talking on the telephone, watching TV, playing video games, doing homework).</li> </ol>	N	0	S	Q	F	А		
29check my clock several times during the night.	Ν	0	S	Q	F	А		

Always (100%)								
Frequently, if not Always (80%)								
Quite Often (60%)								
	Sometimes (40%)							
	Once in Av	Once in Awhile (20%)						
	Never	Never (0%)						
Du	ring the school week, I							
30.	stay up <b>more than 1 hour</b> past my <b>usual</b> <u>bedtime</u> .	Ν	0	S	Q	F	А	
	My <u>usual</u> <i>school night</i> bedtime is am pm							
31.	"sleep in" <i>more than 1 hour</i> past my <i>usual</i> <u>wake time</u> .	Ν	0	S	Q	F	А	
	My <u>usual</u> <i>school day</i> wake time is am pm							
On weekends, I								
32.	stay up <b>more than 1 hour</b> past my <b>usual</b> <u>bedtime</u> .	Ν	0	S	Q	F	А	
	My <u>usual</u> <b>weekend</b> bedtime is: am pm							
33.	"sleep in" <i>more than 1 hour</i> past my <i>usual</i> <u>wake time</u> .	Ν	0	S	Q	F	А	
	My <u>usual <b>weekend</b> wake time is</u> am pm							

## Scoring of the Adolescent Sleep Hygiene Scale (ASHS)

- The ASHS provides 8 subscale scores and an overall sleep hygiene score.
- Higher scores indicate better success on each of these dimensions of sleep hygiene.
- Response options are scored as follows:
  - Never (6 point)
  - o Once in Awhile (5 points)
  - o Sometimes (4 points)
  - o Quite Often (3 points)
  - Frequently, if not Always (2 points)
  - Always (1 points)
- Reverse-code item 27

## Physiological Factor (mean of 5 items)

- 3 After 6:00 in the evening, I have drinks with caffeine (e.g., cola, root beer, iced tea, coffee)
- 10 During the 1 hour before bedtime, I am very active (e.g., playing outside, running, wrestling)
- 12 During the 1 hour before bedtime, I drink more than 4 glasses of water (or some other liquid)
- 18 I go to bed with a stomachache
- 19 I go to bed feeling hungry

## Behavioral Arousal Factor (mean of 3 items)

- 11 During the 1 hour before bedtime, I do things that make me feel very awake (e.g., playing video games, watching TV, talking on the telephone)
- 13 I go to bed and do things in my bed that keep me awake (e.g., watching TV, reading)
- 28 I use my bed for things other than sleep (e.g., talking on the telephone, watching TV, playing video games, doing homework)

## Cognitive/Emotional Factor (mean of 6 items)

- 14 I go to bed and think about things I need to do
- 16 I go to bed and replay the day's events over and over in my mind
- 29 I check my clock several times during the night
- 9 During the 1 hour before bedtime, things happen that make me feel strong emotions (e.g., sadness, anger, excitement)
- 15 I go to bed feeling upset
- 17 I go to bed and worry about things happening at home or at school

## Sleep Environment Factor (mean of 5 items)

- 20 I fall asleep while listening to loud music
- 21 I fall asleep while watching TV
- 22 I fall asleep in a brightly lit room (e.g., the overhead light is on)
- 24 I fall asleep in a room that feels too hot or too cold
- 23 I fall asleep in one place and then move to another place during the night

#### Sleep Stability Factor (mean of 3 items)

- 30 During the school week, I stay up more than 1 hour past my usual bedtime
- 32 On weekends, I stay up more than 1 hour past my usual bedtime
- 33 On weekends, I "sleep in" more than 1 hour past my usual wake time

#### Daytime Sleep Factor (mean of 2 items)

- 1 During the day, I take a nap that lasts more than 1 hour
- 4 After 6:00 in the evening, I take a nap

#### Substances Factor (mean of 2 items)

- 6 After 6:00 in the evening, I smoke or chew tobacco
- 7 After 6:00 in the evening, I drink beer (or some other drinks with alcohol)

#### Bedtime Routine Factor (value for 1 item)

27 I use a bedtime routine (e.g., bathing, brushing teeth, reading)

### TOTAL ASHS SCORE – (mean of all 8 subscales)

# Items that are not part of a subscale or the total ASHS score but were included in the ASHS due to theoretical interest:

- During the day, I play or exercise for more than 20 minutes
- After 6:00 in the evening, I do some kind of physical activity (e.g., exercise, play sports)
- During the 1 hour before bedtime, I do things that make me feel calm/relaxed (e.g., taking a hot bath/shower, listening to soft music, reading)\*
- I sleep in a home where someone smokes cigarettes, cigars or a pipes
- I get too little sleep
- During the school week, I "sleep in" more than 1 hour past my usual wake time